



OUTDOOR WOOD

*DESIGN
YOUR DREAM HOUSE*

FLOORTEC CATALOGUE

BAMBOO OUTDOOR DECKING




FLOORTEC focuses on bamboo outdoor decking's optimization and upgrading, aims on green, eco-friendly, health. It will be the excellent replacement of WPC and traditional woods due to its superior durability, safety and other physical properties

Outdoor Decking Appearance




BD01

*Big wave grooved surface
T&G head
Length sides grooved (symmetrical)
Oiled*




BD02

*Flat surface
T&G head
Length sides grooved (symmetrical)
Oiled*



BD03


*Small wave grooved surface
T&G head
Length sides grooved (symmetrical)
Oiled*



Size: 1850 x 140 x 18 mm





Technical Data


Test Items	Test Results	Testing Standard
Brinell hardness	107N / mm ²	EN_1534 : 2011
Bending strength	87N / mm ²	EN 408 : 2012
Modulus of elasticity in bending (mean value)	18700N / mm ²	EN 408 : 2012
Derability	Class 1 /ENV807 ENV12038	EN 350
Use class	Class 4 (Class 5 first year performing well)	RN 335
Reaction to fire	Bfl-s1	EN 13501-1
Slip resistance (Oil0wet ramp test)	R10	DIN 51130:2014
Slip resistance (PTV20)	86(Dry), 53(Wet)	CEN/TS 16165: 2012 Annex C



Quality

Moisture content	6 -15%
4h Circulating boiled thickness expansion ratio	<10%
72h Thickness expansion ratio	<18%
Density	1.2g/cm





THERMO-ASH DECKING



Thermo-Ash Decking Appearance



TAD01



TAD02

Size: 2000 x 120 x 20 mm

THERMO-ASH CLADDING



Thermo-Ash Cladding



26
mm

185 mm

TPC01

26
mm

90 mm

TPC02


Size: 3000 x 90 x 26 mm
3000 x 185 x 26 mm

THERMO-PINE DECKING




Size: 3000 x 90 x 26 mm
3000 x 185 x 26 mm


Thermo-Pine Decking Appearance




TPD01



TPD02



TPD03




TPD04


THERMO-PINE CLADDING



Thermo-Pine Cladding



TPC01



TPC02

Size: 3000 x 90 x 26 mm
3000 x 185 x 26 mm




WPC LOUVER TRELLIS & FENCE




Environmental Green products - WPC is made from recycled plastic and wood work production scrap material. It is free from termite damage and corrosion.




WT01






WT01



WT01







FLOORTEC CO. LTD

Amsterdam Office: Kuipersstraat 147/A7 1073 ER, Amsterdam

HCM Office: 19 Bach Dang, Ward 2, Tan Binh District, HCMC

Showroom: 48 Phu Thuan, Phu Thuan Ward, District 7, HCMC

www.floortecfloor.com

info@floortec.vn

Hotline: 0934.034.012